ClearBOX 100 Series

Hybrid Gateway Appliance




While all ClearBOXs are designed to address Gateway, Network, and Storage/Server needs, the 100 Series is custom-tailored as a robust Gateway-centric device. Keep your network safe from hackers and protect your users from objectionable web content with ClearBOXs built-in modules offering best-in-class Intrusion Detection/Prevention, Firewall, Anti-malware, Content filtration and more.

All ClearBOXs come with ClearCenter's unique Hybrid IT architecture delivering applications and services through a seamless integration of cloud and on-premise resources. The 100 Series boxes comes in three models offering wired or wireless options to manage up to 100 users.










ClearBOX 100 Components

- A Power Switch
- B Reset Button
- Power Input
- RJ45 System Console Connector
- Dual USB 2.0 Ports
- G2 Bypass Segment 1 with 2 1Gb Ethernet Ports
- G2 Bypass Segment 2 with 2 1Gb Ethernet Ports
- System Restore (In Development)
- VGA Port
- WLAN 802.11 n/a/b/g
- Ethernet Activity LED
- Bypass & Power Activity LED





Operating Environment

Temperature: 41 To 95 Degrees Fahrenheit (5 to 35 degrees Celsius) Humidity 20% to 90%RH

Storage Environment

Temperature: 32 To 158 Degrees Fahrenheit (0 to 70 degrees Celsius) Humidity 5% to 95%RH

PCI-E Expansions Options

Wireless (Available in the ClearBOX 150)

Dimensions

180(W) x 150(D) x 42(H)mm 7.1"(W) x 5.9"(D) x 1.65"(H)

Chipset

Intel® ICH8-M Chipset

Processors

Intel® ATOM D510 1.66 Dual Core



Memory

DDR2 RAM 1GB, 2GB

Storage

Serial ATA Drives: 250GB to 500GB

Rack Mount

Rack Mount Kit Optional



ClearBOX 100 Series Hybrid Gateway Appliance

ClearBOX Hybrid Appliances are a clearly simple solution to an ever growing problem among technology. With the ClearBOX 100 you are now able to simplify your environment, expand your abilities and reduce operating costs like never before.



